




DWELL PATTERNS
Wide Hex Twist

1/8" – 3/16" GROUT LINE





INSTALLATION: INDIVIDUAL TILE

- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT AND ALIGNED THROUGHOUT THE INSTALLATION, PARTICULARLY WHEN INSTALLING PIECE BY PIECE.




- 2 TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED.




INSTALLATION: FACE-MOUNTED MODULE

- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.




- 2 LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO.




1-color pattern

- 3 CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.





2-color pattern



3-color pattern


DWELL PATTERNS
Wide Hex Stack

1/8" – 3/16" GROUT LINE





INSTALLATION: INDIVIDUAL TILE

- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT AND ALIGNED THROUGHOUT THE INSTALLATION, PARTICULARLY WHEN INSTALLING PIECE BY PIECE.




- 2 TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED.




INSTALLATION: FACE-MOUNTED MODULE


- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.



- 2 LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO.





- 3 CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.



1-color pattern


DWELL PATTERNS
Little Diamond Mix

1/8" – 3/16" GROUT LINE





INSTALLATION: INDIVIDUAL TILE

- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT AND ALIGNED THROUGHOUT THE INSTALLATION, PARTICULARLY WHEN INSTALLING PIECE BY PIECE.




- 2 TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED.




INSTALLATION: FACE-MOUNTED MODULE



- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.



- 2 LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO.





- 3 CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.




DWELL PATTERNS
Half Hex Mix

1/8" – 3/16" GROUT LINE





INSTALLATION: INDIVIDUAL TILE

- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT AND ALIGNED THROUGHOUT THE INSTALLATION, PARTICULARLY WHEN INSTALLING PIECE BY PIECE.




- 2 LAY OUT IN TRIANGULAR GROUPS OF 3 TILES. THERE ARE TWO DIFFERENT CONFIGURATIONS, AS INDICATED BY NUMBERS 1 & 2. NOTE HOW THE CORNERS OF THE TILES MEET.



INSTALLATION: FACE-MOUNTED MODULE


- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.




- 2 LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO.
- 3 CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.



1-color pattern





3-color pattern (a)



3-color pattern (b)


DWELL PATTERNS
Half Hex Stack

1/8" – 3/16" GROUT LINE




INSTALLATION: INDIVIDUAL TILE

- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT AND ALIGNED THROUGHOUT THE INSTALLATION, PARTICULARLY WHEN INSTALLING PIECE BY PIECE.




- 2 TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED.




INSTALLATION: FACE-MOUNTED MODULE


- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.



- 2 LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO.




- 3 CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.




DWELL PATTERNS
Half Hex Diamond Stack

1/8" – 3/16" GROUT LINE




INSTALLATION: INDIVIDUAL TILE

- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GRID LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GRID LINES STRAIGHT AND ALIGNED THROUGHOUT THE INSTALLATION, PARTICULARLY WHEN INSTALLING PIECE BY PIECE.




- 2 TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED.




INSTALLATION: FACE-MOUNTED MODULE

- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.




- 2 LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO.




1-color pattern

- 3 CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.





2-color pattern



3-color pattern


DWELL PATTERNS
Half Hex Wave

1/8" – 3/16" GROUT LINE




INSTALLATION: INDIVIDUAL TILE

- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT AND ALIGNED THROUGHOUT THE INSTALLATION, PARTICULARLY WHEN INSTALLING PIECE BY PIECE.




- 2 TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED.




INSTALLATION: FACE-MOUNTED MODULE


- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.



- 2 LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO.



- 3 CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.




1-color pattern



2-color pattern



DWELL PATTERNS
Half Hex Twist

1/8" – 3/16" GROUT LINE




INSTALLATION: 1-COLOR OR 3-COLOR (B)

- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.





1-color pattern
MODULES ARE STACKED



3-color (b) pattern
MODULES ARE STAGGERED

INSTALLATION: 3-COLOR (A)



- 1 SELECT A HORIZONTAL OR VERTICAL ORIENTATION AND DETERMINE YOUR PRIMARY GROUT LINES. IT IS IMPORTANT TO KEEP THE PRIMARY GROUT LINES STRAIGHT & ALIGNED THROUGHOUT THE INSTALLATION.



3-color (a) pattern
MODULES ARE STACKED


GENERAL INSTALLATION GUIDELINES

- 1 TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED.




- 2 LAY OUT MODULES TO CONSTRUCT YOUR PATTERN. CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO. THERE WILL BE SOME VARIATION IN GROUT SPACING IN ORDER TO KEEP MODULES ALIGNED.

- 3 CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.



DWELL PATTERNS
Half Hex Diamond Mix

1/8" – 3/16" GROUT LINE




INSTALLATION: FACE-MOUNTED MODULE


1 THE COMPLETE PATTERN MODULE IS CREATED BY JOINING FOUR UNIQUE SHEETS INTO A 2x2 BLOCK AS SHOWN. EACH FACE-MOUNTED SHEET IS LABELED IN THE UPPER LEFT CORNER WITH 1A, 1B, 2A, OR 2B. THE PATTERN IS CREATED BY REPEATING THE PATTERN MODULE TO DESIRED HEIGHT OR WIDTH.



2 SELECT A HORIZONTAL OR VERTICAL ORIENTATION. A VERTICAL ORIENTATION WILL HAVE VERTICAL GROUT LINES PARALLEL TO THE VERTICAL EDGE. LAY OUT SHEETS IN 2x2 BLOCKS OF 1A, 1B, 2A, 2B SHEETS. REPEAT THE BLOCKS OF 4 SHEETS TO THE OPPOSITE EDGE OF YOUR INSTALLATION TO MAKE THE FIRST ROW. REPEAT THIS FIRST ROW TO HEIGHT OR WIDTH OF INSTALLATION.



3 TO CREATE A FLUSH LINE AT THE INSTALLATION'S EDGE, SOME TILES WILL NEED TO BE INDIVIDUALLY CUT. THE CUT POINTS SHOULD ALL BE ALIGNED. SAVE OFF-CUT TILE UNTIL LAYOUT IS COMPLETE - THEY OFTEN ARE USEFUL TO COMPLETE EDGES AT THE OPPOSITE END OF THE LAYOUT.



4 CUT THROUGH MOUNTING TAPE TO MAKE ADJUSTMENTS AS YOU GO. CORRECTIONS OF INDIVIDUAL TILES WITHIN FACE-MOUNTED SHEETS MAY BE NECESSARY.

