



# GENERAL CERTIFICATE OF CONFORMITY

## HEATH KIDS DINNERWARE PRODUCTS

### Statement of Compliance

All kids dinnerware product and glazes listed below meet and exceed applicable CPSC, FDA and Prop 65 standards for exposure to lead and cadmium in ceramic tableware at the time of manufacture.

- |                                 |                                    |
|---------------------------------|------------------------------------|
| Apple Red 101-0165              | Zest Yellow 104-0164               |
| Blueberry 701-0163              | Zest Yellow/Blueberry 521-0308     |
| Carrot Orange 701-0200          | Zest Yellow/Carrot Orange 521-0230 |
| Green Peas 101-0195             |                                    |
| Ruby Red 104-85                 |                                    |
| Ruby Red/Suede Red 101-0165     |                                    |
| Ruby Red/Suede Red 701-0191     |                                    |
| Green Peas/Zest Yellow 521-0212 |                                    |



#### MANUFACTURED BY

HEATH CERAMICS LTD

#### CONTACT NAME

ROBIN PETRAVIC, MANAGING DIRECTOR  
HEATH CERAMICS  
400 GATE 5 ROAD  
SAUSALITO, CA 94965  
[customerservice@heathceramics.com](mailto:customerservice@heathceramics.com)  
415 332 3732

#### DATE & PLACE OF MANUFACTURE

THIS CERTIFICATE APPLIES TO ALL PRODUCTS MADE FROM 2009 TO PRESENT. ALL HEATH DINNERWARE IS CRAFTED IN OUR FACILITY LOCATED IN SAUSALITO, CALIFORNIA, USA.

#### THIRD PARTY TESTING LABS

##### CPSC

WECK LABORATORIES, INC.  
14859 EAST CLARK AVENUE  
CITY OF INDUSTRY, CA 91745-1396  
626 336 2139

##### FDA/PROP 65

INTERTEK  
545 E ALGONQUIN ROAD, SUITE F  
ARLINGTON HEIGHTS, IL 60005  
847 871 1020

#### CPSC CERTIFICATION REQUIREMENT

SEC. 101 OF THE CONSUMER PRODUCT SAFETY IMPROVEMENT ACT OF 2008, PUB. L. NO. 110-314 (UPDATED AUGUST 14, 2011) (CPSIA), BAN ON TOTAL LEAD CONTENT IN CHILDREN'S PRODUCTS IN EXCESS OF 100 PPM IN CHILDREN'S PRODUCTS.

#### OTHER TESTING

FDA AND CALIFORNIA PROP 65 STANDARDS FOR EXPOSURE TO LEAD AND CADMIUM IN CERAMIC TABLEWARE.

#### DATE, PLACE & METHOD OF TESTING CPSC

MAY 2011 and OCTOBER 2012  
CITY OF INDUSTRY, CALIFORNIA, USA  
CPSC-CH-E1002-08

#### FDA/PROP 65

MAY 2013  
ARLINGTON HEIGHTS, ILLINOIS, USA

ASTM Method C 738-94, Standard Test Method for Lead and Cadmium Extracted from Glazed Ceramic Surfaces as required by FDA Guideline 7117.06 and 7117.07 for analysis of food containers and AOAC Method 973.32 Cadmium and Lead in Earthenware Atomic Absorption Spectrophotometric Method.