

Heath Tile

Specifications and Pricing

Our love of beautiful materials finds its purest expression in Heath Tile. Perfectly imperfect tiles reflect an intention, a pride in craft, the truth of quality, and the beauty in simplicity. They are made by real people, glazed using traditional techniques, fired, and finished in our San Francisco tile factory.



Since Edith Heath became the first non-architect to win the prestigious AIA Industrial Arts Medal for the exterior tile on Pasadena's Norton Simon Museum, Heath Tile has been known for its high quality and handcrafted aesthetic. The variation of the hand glazed tile contrasts with the modern lines of the many complementary shapes. Heath Tile glazes remain unmatched in their range, texture and depth of color — the legacy of Edith Heath's life work that continues to endure today.

We start with our original brown and white clay bodies and press, glaze, trim, and fire each tile to create a versatile, beautiful and durable product (and installation) that reflects the care that went into its making.

Heath Tile is not your average tile. Take advantage of its unique, handcrafted characteristics for your project. The iconic, mid-century aesthetic gives way to truly unique, varied, and individual installations ranging from home environments to large-scale public spaces.

We Have Two Ways to Think About Our Tile

MADE-TO-ORDER

Our Made-to-Order collections are Classic Field, Tapestry, Dwell Patterns, Mural, Dimensional, Stan Bitters, Dual Glaze Rectangles and Dual Glaze Triangles. You order the shape and glaze, we make it for you. Made-to-Order tile has a lead time associated with it, which varies by collection.

IN-STOCK

Our In-Stock Palette is a versatile collection of eight finishes in one size. It is generally available for same day purchase and pick up in our showrooms. There's absolutely no difference in the quality of tile. We're able to offer more competitive prices by producing more of these focused offerings.

Our Tile Collections

MADE-TO-ORDER

Classic Field p. 11

20 sizes, 100+ glazes

Our Classic Field tile is celebrated for its versatility. This expansive collection of shapes and sizes allows for a broad range of installation possibilities.

MADE-TO-ORDER

Tapestry p. 12

4 small sizes, 8 face mounted patterns

Designed to highlight the patterns and possibilities of our Classic Field tile, our Tapestry collection showcases what makes Heath tile so versatile and unique.

MADE-TO-ORDER

Dwell Patterns p. 13

3 modular shapes, endless patterns

Two-dimensional shapes are matched with the long-standing qualities of Heath tile to provide unique patterns with hand-crafted beauty and individual variation.

MADE-TO-ORDER

Mural p. 14

1 face mounted pattern, 8 unique glaze palettes

The first of our Mural patterns is Twill, which uses six glazes on Dwell Patterns Little Diamond tiles within a single install, creating a kinetic, dimensional effect.

MADE-TO-ORDER

Dimensional p. 15

6 shapes, 100+ glazes

The sculptural, three-dimensional surfaces have a distinct form that bridges the gap between art and functional tile.

MADE-TO-ORDER

Stan Bitters Tile (please inquire)

3 shapes, 10+ finishes

Our most sculptural tile yet, made in collaboration with California based ceramic artist Stan Bitters. A beautifully rugged surface shows off a deep love and engagement with ceramics, and allows for more artful use beyond simply covering a wall. Ask a tile specialist for a Stan Bitters Tile Spec Booklet for collection details.

MADE-TO-ORDER

Dual Glaze Rectangles p. 16

6 sizes, 8 matte/glossy glaze combos

Taking variation and contrast to a new level, glazes are overlaid on a single tile, creating the illusion of varying tile sizes within an installation.

MADE-TO-ORDER

Dual Glaze Triangles p. 17

8 glaze blends, 8 patterns

Beautiful geometry crosses time and place. A palette that's light and dark, matte and glossy, high and low contrast, textured and smooth, glazed and unglazed. Eight patterns can be arranged with each glaze blend.

IN-STOCK

In-Stock Palette p. 18

1 size, 8 glazes

An in-stock offering of one size in a special palette of matte and glossy finishes, including two unglazed options. The depth and character of the collection is refined and contemporary, and endlessly versatile.

Looking For Inspiration?

Check out **heathceramics.com/tile** or come into our showrooms where our tile specialists can share inspiration from near and far. For additional spec and ordering information, please see our website.

Classic Field 3.5" hex* 6" triangle* 3x3 5" hex* 1x3* 3x6 triangle* 4x8 2x2* 12x12* 6x12* 6x6 4x4 3x9 2x4 2x6 2x8 2x9 2x12 3x12 **Stan Bitters Dimensional Dwell Patterns** half hex oval triangle 37/8 x 2 nominal† 3x9 3x9 nominal†







bowtie

3x9 nominal†





3x9 nominal†

diamond







little diamond 3 3/8 x 2 nominal†



wide hex $5^{1/4} \times 2 \text{ nominal}^{\dagger}$

Trims

12x12



bullnose edge any edge on all standard sizes



radius bullnose 3"x3", 3"x6", 4"x4", 4"x6"



simple counter v-cap †† 6"x 15/8"x 15/8"



classic counter v-cap 6"x1½"x2¼"



rectangle box liner** $6"x^{1/2}"x^{11/2}"$



liner 6" x ⁵/₁₆" x ¹/₂", 6"x5/16"x1"



finger cove** 6"x 3/4"



cove base** 3"x3", 3"x6" 4"x4", 4x6"



corner cove post 1½"x1½"x3" or 4"H



circle liner 6"x5/16"x1"



quarter round** 6"x1"




grooved quarter round** 6"x1½"



beak 6"x1"



step liner** 6"x 3/4"x 13/4"



oval liner 6"x5/16"x1"

NOTE: Drawings not to scale. Measurements denoted L x W x H.

^{*}Premium sizes. 12x12 available in manganese clay only.

^{**} Additional lengths available

 $^{^\}dagger$ Nominal tile dimensions are derived from the L x W of the rectangular module the shape fits within.

^{††} Not intended for use on wall corners.

A Guide to Tile and Glaze Qualities

TILE QUALITIES

The tile we make is perfectly imperfect. We celebrate the variation inherent in our product. Because each piece is unique, it's important that we share a few tips to keep in mind as you develop your project to help ensure your Heath Tile installation is successful and meets expectations.

Applications

Heath Tile is very durable and thus suitable for most interior and exterior applications, including warm and cold climates (freeze/thaw), residential and commercial floors, walls, counters, showers, baths, swimming pools, spas and fountains.

Tile Variation

Our white clay body shrinks more than our manganese clay body; make sure if you are combining these two types of clay bodies within a single installation that you make adjustments appropriate for each individual installation.

Size and Length Variation

Our tile shrinks about 12% in the production process. The "about" means it's not an exact science and variation in size and length (however slight) can occur. You can expect +/-1/16" variation, especially on longer tiles.

Lengthwise Bowing

If you force an elastic material, like clay, into a mold, it will attempt to regain its original shape as it moves through the production process. For this reason, you can expect your tile to have what we deem to be an acceptable amount of lengthwise bowing, especially in our longer shapes. This can be accommodated by a wider grout line and thoughtful placement during installation.

Surface Undulation

Surface undulation can occur for the same reason that bowing occurs — an elastic material is forced into a flat mold. Undulation can occur anywhere on the surface, and could include a slightly raised corner or edge.

Modularity

Not all of our tile sizes are modular with themselves or with other sizes. If your design uses more than one clay body or size be sure they will work together with a recommended grout spacing.

Clear Face Mounting

Nothing beats a hand installation of handmade tile, however some of our smaller tiles can be ordered face-mounted onto adhesive sheets (rather than the more common mesh backing) — set patterns apply. Our clear tape face mounting should be considered as a visual guide for assembling tile pieces, not a modular assembly. Adjustments do need to be made during installation (pre-grout), including slicing/moving of individual pieces and/or partial modules in order to achieve optimum grout spacing and variation blending.

Tile Dimensions + Performance					
type	+/-	tile size			
size/length	1/16"	6", 8", 9", 12"			
thickness (5/16")	1/16"	all			
lengthwise bow	up to ½8"	8", 9", 12"			
Bond Strength – ASTM (50 psi required)	C 482; 124 psi average				

Breaking Strength – ASTM C 648; 422 lb average (250 lb or greater required)

Water Absorption – ASTM C 373; .082% average (impervious = .5% or less, vitreous = .5%–3%)

Weight - approximately 3 1/2 lb per sq.ft.

A Guide to Tile and Glaze Qualities

GLAZE QUALITIES

Use this guide in combination with the glaze palette tables on the following pages. More information about unglazed tile is available in a separate spec sheet, please ask a Tile Specialist to learn more.

Glaze Variation

Variation in the glaze color/texture is rated 1–5+. Glazes rated 1 exhibit very little variation; higher ratings show very high tonal, textural, hue, and finish shifts. For glazes with a variation of 4 or above, it is recommended to request several samples to accurately depict the effect the variation will have on the installation. Variation in color and finish cannot be specified. Glossy and matte formulas are unique to each glaze.

Acid Resistance

Tile glazes without a (+) are not acid resistant and may change over time with repeated/prolonged exposure to products with acidic ingredients.

Pools

Tiles NOT recommended for use in pools (without a +) are also generally not acid resistant, and usually contain copper, which can discolor.

Residential Floors

Softer glazes and glossy finish glazes are not recommended for flooring as they are slippery when wet and will show scratches more readily.

Commercial Floors

Commercial floors generally require a high slip-resistance rating based on industry standards. While matte glazes would be more suitable for commercial use, individual testing must be performed on a case by case basis. Please contact a Tile Specialist for more information.

Crazing

Crazing is the development, over time, of small surface cracks that do not affect the structural integrity of the tile. No guarantee is made against crazing.

Sealing

Matte, crackle glazes, and unglazed tile will benefit from a pregrout seal to aid in grout haze removal and prevent staining from saturated grout colors. Once installed, textured matte, crackle glazes, and unglazed tile should be sealed again after grouting to protect the grout and glaze, and potentially re-sealed annually if in a wet location or food prep area. This is particularly important for crackle glazes as the crackle will continue to develop.

INSTALLATION + GROUTING CONSIDERATIONS

Zip, zero, zilch tile installations look good before grouting. Here are our top tips for ensuring a successful installation. Visit our website at heathceramics.com/tile for additional installation advice and ideas.

Planning

Meticulously plan your layout. The time taken for prep and placement will greatly impact the finished result. Pre-sort tile by size, color, and finish. Blend or strategically place. To acheive a leveled surface, use a deeper comb or mortar or thinset to allow for variations in tile thickness and architecture.

Grout

Grout is the glue that pulls the entire installation together. Give special consideration to choosing the right color and be sure to use a sanded grout formulated for 1/8-1/4" spacing (and no larger). Some sanded grout may contain large/sharp aggregate that can scratch tile. If you're grouting glossy tiles, we recommend testing the grout prior to grouting your installation. Every bag can be unique so if your installation requires multiple bags, test each bag. Be sure to follow the manufacturer's instructions for mixing and applying grout. Stan Bitters Tile should be installed without grout. Ask a Tile Specialist for the Stan Bitters Tile Spec Booklet for installation details and advice.

Grout Spacing

Heath tile sizes are nominal dimensions based on our suggested grout spacings. Tighter grout spacing will require more tiles than the listed square footage. Please refer to the guide below for our minimum recommended grout widths. In some cases, an even wider grout line may be necessary to achieve the best overall look depending on specific tile characteristics and installation. Thoughtful grout spacing can compensate for tile variation. Don't rely on one size spacer; shimming will help maintain level lines throughout the installation.

Recommended Grout Spacing Guide tile size	suggested grout width
2x2, 2x4, 2x6, 3x3, 1x3, 3.5" hex, 4" right triangle, little diamond, half hex, wide hex	1/8"
2x8, 2x9, 3x6, 2x12, 3x9, 3x12, 4x4, 4x8, 6x6, 5" hex, 6" right triangle, bowtie, oval, diamond, dimensional triangle	3/16"
6x12, 12x12, crease in, crease out	1/4"

Matte	Palette – glaze qualities		clay		acid	residential		scratch	pre-grout
code	glaze name	finish	base	variation	resistant	floors	pools	resistant	seal
M1	canvas	matte	white	1	+	+	+	good	
M2	stone white	matte	white	2	+	+	+	good	
M3	parchment	matte	white	2	+	+	+	good	
M4	canvas sage	matte	white	3	+	+	+	good	
M6	stone grey	textured matte	white	5	+	+	+	good	+
M8	slate blue	matte	white	3	+	+	+	good	
M9	chamois	matte	white	3	+	+	+	good	
M12.2	olive #1	textured matte	brown	3	+	+	+	good	+
M13.2	kpfa green	matte	brown	3		+		good	
M15	persimmon	matte	white	3	+	+	+	good	
M17.2	redwood	matte	brown	5	+	+	+	good	
M18	chalk	matte	white	2	+	+	+	good	
M19	robin's egg	matte	white	2	+	+	+	good	
M20	yellowstone	matte	white	2	+	+	+	good	
M22.2	ogawa green	matte	white	3		+		good	
M23	stone gold	matte	white	2	+	+	+	good	
M24.2	sky blue	matte	white	4	+	+	+	good	
M25	blue lake	matte	white	4	+	+	+	good	
M26	meadow green	matte	white	5		+		good	
M27	olive #3	matte	brown	5		+		good	
M34.2	museum black	matte	brown	3	+	+	+	good	
M35.2	slate #2	textured matte	brown	4	+	+	+	good	+
M36	bay blue	matte	white	2	+	+	+	good	
M38.2	forest	matte	white	4	+	+	+	good	
M39.2	matte brown	matte	brown	5	+	+	+	good	
M40	turquoise	textured matte	brown	2		+		good	+
M41	hematite	matte	white	3				good	
M43	lichen	matte	white	5		+		good	
M44.3	modern blue	textured matte	brown	4	+	+	+	good	+
M45	shark	textured matte	white	4		+		good	+
M46	muslin	matte	white	2	+	+	+	good	
M47	blue fog	matte	white	4	+	+	+	good	
M48	river bed	matte	white	4	+	+	+	good	
M50	seal	matte	brown	4	+	+	+	good	
M51	tapenade	matte	white	4	+	+	+	good	
M52	shade	textured matte	brown	4	+	+	+	good	+

Matte	Palette – glaze qualities								
code	glaze name	finish	clay base	variation	acid resistant	residential floors	pools	scratch resistant	pre-grout seal
M53	paprika	textured matte	brown	2		+		good	+
M58	hickory	matte	brown	5	+	+	+	good	
M59	patina	matte	white	3		+		good	
M60	soapstone	textured matte	brown	4		+		good	+
M61	barley	textured matte	brown	3	+	+	+	good	+
M62	dew	textured matte	white	5		+		good	+
M63	fog	textured matte	brown	4		+		good	+
M64	steam	textured matte	brown	4		+		good	+
M65	vanilla bean	matte	white	5	+	+	+	good	
M66	shade light	textured matte	white	4	+	+	+	good	+
M67	horizon blue	textured matte	brown	3	+	+	+	good	+
M68	ochre	textured matte	brown	3	+	+	+	good	+
M69	lemon	matte	white	4	+	+	+	good	
M70	рорру	textured matte	brown	3	+	+	+	good	+
M71	grapefruit	textured matte	brown	3	+	+	+	good	+
M73	basalt	textured matte	brown	2	+	+	+	good	+
M74	cloud grey	matte	white	4	+	+	+	good	
M76	tahoe blue	textured matte	brown	3		+		good	+
M95	cast iron grey	textured matte	brown	2		+		good	+
M96	storm	matte	white	3		+		good	
M97	alder	textured matte	white	5		+		good	+
M98	french grey manganese	textured matte	brown	2		+		good	+
M99	graphite	matte	white	4		+		good	
M100	mint	matte	white	4		+		good	
M101	grass	matte	white	2		+		good	
M102	wildflower	textured matte	brown	4		+		good	+
NM3	natural manganese	unglazed	brown	3	+	+		good	+
NW2	natural white	unglazed	white	3	+	+		good	+

Glossy	Palette – glaze qualities								
code	glaze name	finish	clay base	variation	acid resistant	residential floors	pools	scratch resistant	pre-grout seal
G1	antique white	glossy	white	1	+		+	good	
G2.2	light grey whale	glossy	brown	2	+		+	medium	
G4.2	gunmetal	glossy	white	3				medium	
G5.2	polo grey	glossy	white	2	+		+	medium	
G7.2	opaque white	glossy	white	2	+		+	good	
G8.2	warm white	glossy	white	2	+		+	medium	
G9.2	azie green	glossy	white	3	+		+	medium	
G10.2	50/50 fog	glossy	white	3	+		+	medium	
G11.2	pisces green	glossy	white	3	+		+	medium	
G12.2	seafoam	glossy	white	5				medium	
G13.2	olive gloss	glossy	white	4				medium	
G14.2	pebble	glossy	white	3	+		+	medium	
G15.2	jade porcelain	glossy	white	4				medium	
G16.2	jade manganese	glossy	brown	4				medium	
G18.2	gloss black	glossy	brown	3	+		+	medium	
G19.2	island blue	glossy	white	3	+		+	medium	
G21	opal pacific	glossy	brown	5				medium	
G22	opal blue	glossy	brown	4	+		+	good	
G24.2	mango	glossy	white	3	+		+	medium	
G25.2	caramel	glossy	white	4	+		+	medium	
G32.2	midnight #6	glossy	brown	3	+		+	medium	
G35.2	fawn	glossy	white	5	+		+	medium	
G36.2	crystal blue	glossy	white	3	+		+	medium	
G37.2	melon	glossy	white	3	+		+	medium	
G38.2	night sky	glossy	brown	4	+		+	medium	
G40	frost	glossy	brown	5	+		+	good	
G41	saddle	glossy	white	5	+		+	medium	
G44	bright yellow	glossy	brown	4	+		+	medium	
G51	soft white	glossy	white	2	+		+	medium	
G52.2	fern	glossy	white	3	+		+	medium	
G54	heath orange	glossy	brown	4	+		+	medium	
G55	brick	glossy	brown	5	+		+	medium	
G58	pomegranate	glossy	brown	5	+			soft	+
G62	campari red	glossy	brown	5	+			soft	+
G63	soft yellow	glossy	white	3	+		+	medium	
G65	heron blue	glossy	white	3	+		+	medium	

Gloss	Glossy Palette, Continued – glaze qualities									
code	glaze name	finish	clay base	variation	acid resistant	residential floors	pools	scratch resistant	pre-grout seal	
G66	verde	glossy	brown	4	+		+	good		
G107	mid-century white	glossy	brown	3	+		+	good		

Gloss	y Crackle Palette - glaz	e qualities							
code	glaze name	finish	clay base	variation	acid resistant	residential floors	pools	scratch resistant	pre-grout seal
G103	tropics blue crackle	crackle	white	5				soft	+
G104	kelp crackle	crackle	brown	5				soft	+
G105	sesame crackle	crackle	white	5	+			soft	+
G106	toffee crackle	crackle	brown	5				soft	+

Layer	ed Glaze Palette – glaze	qualities			.,				
code	glaze name	finish	clay base	variation	acid resistant	residential floors	pools	scratch resistant	pre-grout seal
LM1	chalk-gunmetal	matte	brown	5+		+		good	
LM2	paprika-gunmetal	matte	brown	5+	+	+		good	
LM3	chalk-polo grey	matte	white	5+	+	+	+	good	
LM4	cast iron-polo grey	matte	white	5+	+	+	+	good	
LG1	frost-gunmetal	glossy	brown	5+				good	
LG2	jade mangolive #3	glossy	brown	5+				good	

Classic Field MADE-TO-ORDER

Classic Field Pricing	
quantity	price/sq.ft.
25+ sq.ft. (single size and glaze)	30.00
25+ sq.ft. (single size, unglazed)	24.00
accent tile (4 – 24 sq.ft.)	60.00

Clear face mounting - add \$8.00/sq.ft., for single size and glaze. Available for 1x3, 2x2, 2x4 and 3.5" hex tiles.

Premium glazes – add 15% for G4.2, G12.2, G13.2, G15.2, G16.2, G19.2, G25.2, G36.2, G58, G62, G103-G106, M41, and M99 glazes.

Premium sizes – add 25% for 1x3, 2x2, 6x12, 12x12, 3.5" hexagon, 5" hexagon, 4" right triangle & 6" right triangle.

Layered glazes – add 30% for LM1, LM2, LM3, LM4, LG1, and LG2 glazes. Not available on 2x2, 1x3, 6x12, and 12x12 sizes.

Grout line – see page 6 for recommended widths.

For custom or sizes not listed, call for availability and pricing.

Classic Fie	Classic Field Sizes							
tile size	tiles/sq.ft.	tile size	tiles/sq.ft.					
2x2	36	3x12	4					
2x4	18	4x4	9					
2x6	12	4x8	4.5					
2x8	9	6x6	4					
2x9	8	6x12*	2					
2x12	6	12x12**	1					
1x3	48	3.5" hex	13.5					
3x3	16	5" hex	6.6					
3x6	8	4" triangle	18					
3x9	5.3	6" triangle	8					

^{*} Not available on 6x12 tiles: G12.2, G13.2, G15.2, G16.2, G58, G62, and G103-106.

Classic Field Trim Pieces		
type/size	price/piece	price/linear ft.
bullnose edge**		13.00
glazed edge**		13.00
radius bullnose 3"x3", 3"x6"	7.50, 15.00	30.00
radius bullnose 4"x4", 4"x6"	10.00, 15.00	30.00
quarter round* 3" to 6"	4.63-9.25	18.50
grooved quarter round* 3" to 6"	6.75-13.50	27.00
beak 6"	16.00	
finger cove* 3" to 6"	4.63-9.25	18.50
3" cove base * 3" to 6"	7.50-15.00	30.00
4" cove base * 3" to 6"	7.50-15.00	30.00
corner cove post 1½"x3" or 4"H	16.00	
simple counter v-cap 6"	10.00	20.00
classic counter v-cap 6"	15.50	31.00
liner 6"x½"	9.50	19.00
liner 6"x1"	9.50	19.00
circle liner 6"x1"	18.50	37.00
oval liner 6"x1"	18.50	37.00
rectangular box liner* 3" to 6"	10.75-21.50	43.00
step liner* 3" to 6"	10.75-21.50	43.00

Premium glazes – add 15% for G4.2, G12.2, G13.2, G15.2, G16.2, G19.2, G25.2, G36.2, G58, G62, G103-G106, M41, and M99 glazes; not available on v-cap

Layered glazes – add 30% for LM1, LM2, LM3, LM4, LG1, and LG2 glazes. Not available on all trims.

* Premium trim sizes - add 25% for lengths above 6".

^{**} Not available on 12x12 tiles: G16.2, G58, G62, G104, G106, or on white clay.

^{**}Bullnose/glazed edge price is calculated by the linear foot of formed edge plus the base price of the tile. Available on short, long, corner, or parallel edges on all standard Classic Field and select Dimensional tile sizes. Glazed edge only available in matte glazes.

Tapestry

MADE-TO-ORDER

Tapestry Pricing	price/sq.ft.	price/sq.ft.	price/sq.ft.
pattern name	1-color	2-color	3-color
Argyle 1x3	45.50	47.50	49.50
Weave 2x4	38.00	40.00	-
Stitch 1x1, 1x3	65.50	67.50	69.50
Herringbone 1x3	45.50	47.50	49.50
Knit 1x3, 2x2	45.50	47.50	49.50
Stagger 2x2	45.50	47.50	49.50
Flemish bond 2x2, 2x4	40.50	42.50	44.50
Plait 1x3	45.50	47.50	49.50

Minimum order – 25 sq.ft., single pattern, up to 3 glaze colors.


Premium glazes – add 15% for G4.2, G12.2, G13.2, G15.2, G16.2, G19.2, G25.2, G36.2, G58, G62, G103–G106, M41, and M99 glazes.


 $\label{eq:LM3} \textbf{Layered glazes} - \text{not available in LM1, LM2, LM3, LM4, LG1,} \\ \text{and LG2 glazes.}$

Clear face mounting – all pricing includes face mounting.


Trim – please consult a Tile Specialist.

Tapestry Guide









Dwell Patterns

MADE-TO-ORDER

Dwell Patterns Pricing

style	price/sq.ft. 1-color	price/sq.ft. 2-color	price/sq.ft. 3-color
Unmounted	40.00	40.00	40.00
Mounted	48.00	50.00	52.00

Minimum order – 25 sq.ft., single pattern, up to 3 glaze colors.

Premium glazes - add 15% for G4.2, G12.2, G13.2, G15.2, G16.2, G19.2, G25.2, G36.2, G58, G62, G103-G106, M41, and M99 glazes.

Layered glazes - add 30% for LM1, LM2, LM3, LM4, LG1 & LG2 glazes.

Grout line - 1/8" recommended.

Trim - please consult a Tile Specialist.

Dwell Patterns Guide

shapes









Little Diamond 33/8" x 2" nominal* 42.7 tiles/sq.ft.

Wide Hex 51/4" x 2" nominal* 20.2 tiles/sq.ft.

Half Hex 3 7/8" x 2" nominal* 28.0 tiles/sq.ft.

1-color patterns



Little Diamond Mix



Wide Hex Stack Wide Hex Twist

1-color





Half Hex Mix

1-color

1-color



Half Hex Stack 1-color

1-color



Half Hex **Diamond Stack**

Half Hex Twist** 1-color



Half Hex Wave

Half Hex Diamond Mix** 1-color

Dwell Patterns Guide, Continued

2-color patterns







Little Diamond Mix



Half Hex Stack 2-color

Wide Hex Twist 2-color







Half Hex **Diamond Stack**

2-color

Half Hex Wave 2-color

Diamond Mix** 2-color

3-color patterns









Little Diamond Mix 3-color















Wide Hex Twist 3-color

Half Hex **Diamond Stack** 3-color










Half Hex Twist**



Pattern swatches above are indicative of the installed pattern but do not represent the shape/size of the mounted module.

- * Nominal tile dimensions are derived from the L x W of the rectangular module the shape fits within.
- ** Pattern is only available mounted.



Mural Pricing

Available in 8 pre-configured color palettes. Refer to the Glaze Qualities chart on pages 7-10 for more information on each glaze.

style price/sq.ft. price/module

Mounted 60.00 202.00

Minimum order - 10 modules (about 34 sq.ft.)

Order quantity – due to the size of the module & nature of the pattern, a Tile Specialist should be consulted to ensure proper order quantity.

Sample kits – glaze samples for each palette are available upon request for \$12; samples are Little Diamond and will come mounted.

Clear face mounting – all pricing includes face mounting.

Grout line – 1/8" recommended.

Trim – please consult a Tile Specialist.

Mural Module Guide



Twill Pattern 49.5" x 10.5" module 3.37 sq.ft. per module

Twill Pattern Glaze Palette Guide					
palette	glazes (in descending quantity)				
Alabaster White	M2 stone white, G1 antique white, M3 parchment, M9 chamois, M65 vanilla bean, G51 soft white				
Arctic Grey	G1 antique white, M74 cloud grey, G5.2 polo grey, M45 shark, M66 shade light, G36.2 crystal blue				
Black Walnut Brown	M39.2 matte brown, G4.2 gunmetal, M51 tapenade, M34.2 museum black, G42 aged iron, M48 river bed				
Denim Blue	G36.2 crystal blue, G19.2 island blue, M8 slate blue, M45 shark, G65 heron blue, M24.2 sky blue				
Old Growth Green	G13.2 olive gloss, M27 olive #3, M60 soapstone, M63 fog, M12.2 olive #1, M58 hickory				
Rhythm Multi	M74 cloud grey, M67 horizon blue, M40 turquoise, G21 opal pacific, M53 paprika, M70 poppy				
Tide Pool Blue-Green	M44.3 modern blue, M63 fog, M13.2 kpfa green, G12.2 seafoam, M27 olive #3, G36.2 crystal blue				
Yarrow Yellow	M9 chamois, G44 bright yellow, M68 ochre, M69 lemon, G63 soft yellow, G35.2 fawn				

Dimensional MADE-TO-ORDER

Dimensional Pricing	
type	price/sq.ft.
Oval	78.00
Triangle	78.00
Bowtie	78.00
Diamond	78.00
Crease In (concave)	78.00
Crease Out (convex)	78.00

Minimum order - 10 sq.ft.


Premium glazes – add 15% for G4.2, G12.2, G13.2, G15.2, G16.2, G25.2, G36.2, G58, G62, G103-G106, M41, and M99 glazes; premium glazes are not available on bowtie shapes; G19.2 is not available on dimensional tile.

Layered glazes - add 30% for LM1, LM2, LG1 & LG2 glazes. Not available for LM3 and LM4 glazes.

Unglazed - \$70.00/sq.ft., in NM3 and NW2 glazes.

Grout line – 3/16'' minimum recommended.

Trim – Available only in matte glazes on Oval, Crease In, and Crease Out shapes. Please reference Trim Pieces on page 11 for more.





^{*} Nominal tile dimensions are derived from the L x W of the rectangular module the shape fits within.

Dual Glaze Rectangles

MADE-TO-ORDER

Available in 8 different glaze combinations in a 3 or 6 tile blend. size price/sq.ft. 2x4, 2x6, 3x6, 2x12, 3x12 60.00 Minimum order – 25 sq.ft. Clear face mounting – \$8.00/sq.ft. in 2x4 only. Sample kit – each color blend in 2x4, available upon request; DG1, DG3, DG9 – \$11.00; DG2, DG4, DG6, DG7, DG8 – \$6.00 Grout line – 1/8" minimum recommended. Trim – available in solid glazes only; please reference Trim Pieces on page 11.





Dual C	Dual Glaze Rectangles Palette – glaze qualities								
code	glaze name	finish	clay base	variation	acid resistant	residential floors	pools	scratch resistant	pre-grout seal
DG1	opaque white blend	matte/glossy	white	5+	+		+	good	
DG2	stone grey blend	matte/glossy	white	5+	+		+	good	+
DG3	paprika blend	matte/glossy	brown	5+				good	+
DG4	jade manganese blend	matte/glossy	brown	5+				soft	
DG6	bay blue blend	matte/glossy	brown	5+				good	+
DG7	gunmetal blend	glossy	brown	5+				good	
DG8	bright yellow blend	matte/glossy	brown	5+	+		+	good	
DG9	basalt blend	matte/glossy	brown	5+		+		good	+

Dual Glaze Triangles

MADE-TO-ORDER

Dual Glaze Triangles Pricing

Available in 8 different glaze combinations in a 4-tile blend.

size price/sq.ft.

4" triangle 72.00


Minimum order - 25 sq.ft.

Sample kit – each color blend is available as a set of 4 triangles for \$16.00.

Clear face mounting – not available for this collection.


Grout line – 1/8" minimum recommended.

Trim – please consult a Tile Specialist.



Dual Glaze Triangles Blend Guide


patterns



Tartan



Ripple




Heirloom




Deco



Curtain



Braid



Kilim



Facet

Dual Glaze Triangles Palette – glaze qualities									
code	glaze name	finish	clay base	variation	acid resistant	residential floors	pools	scratch resistant	pre-grout seal
DG6	bay blue blend	glossy/matte	brown	5+				good	
DG10	natural white blend	glossy/unglazed	white	5+	+			good	+
DG11	natural manganese blend	textured matte/ unglazed	brown	5+	+	+		good	+
DG12	basalt lava blend	textured matte	brown	5+		+		soft	+
DG13	seafoam blend	glossy	white	5+				good	
DG14	ochre blend	glossy/ textured matte	brown	5+				good	+
DG15	zinnia blend	glossy/ textured matte	brown	5+	+			good	+
DG16	fog blend	textured matte	brown	5+		+		good	+

In-Stock Palette IN-STOCK

In-Stock Palette Pricing

Available in a select color palette of 6 glazed and 2 unglazed options.

finish	quantity	price/box	price/sq.ft.
glazed	4 sq.ft./box	80.00	20.00
glazed	8 sq.ft./box	160.00	20.00
unglazed	4 sq.ft./box	72.00	18.00
unglazed	8 sq.ft./box	144.00	18.00

Grout line – 1/8" minimum recommended.

Availability - in 4 and 8 sq.ft./box only. Because we hold stock in limited quantities, large orders over 250 sq.ft. may require a special order. We have a 152 sq.ft. cap on cash and carry purchases.

In-Stock Palette Trim Pieces									
type/size	finish	side	price/piece						
bullnose edge 2x6	glazed	2"	4.66						
bullnose edge 2x6	glazed	6"	9.00						
bullnose corner 2x6	glazed	2" & 6"	11.16						
bullnose edge 2x6	unglazed	2"	4.16						
bullnose edge 2x6	unglazed	6"	8.49						
bullnose corner 2x6	unglazed	2" & 6"	10.66						

Refer to Trim Pieces chart on page 11 for additional Made-to-Order selections.

In-Stock Palette Sizes

12 tiles/sq.ft.

In-Sto	ck Palette – glaze qualiti	es							
code	glaze name	finish	clay base	variation	acid resistant	residential floors	pools	scratch resistant	pre-grout seal
G10.2	50/50 fog	glossy	white	3	+		+	medium	
G51	soft white	glossy	white	2	+		+	medium	
G65	heron blue	glossy	white	3	+		+	medium	
M9	chamois	matte	white	3	+	+	+	good	
M73	basalt	textured matte	brown	2	+	+	+	good	+
M98	french grey manganese	textured matte	brown	2		+		good	+
NW2	natural white	unglazed	white	3	+	+		good	+
NM3	natural maganese	unglazed	brown	3	+	+		good	+



Visit one of our three Heath tile showrooms where you can see the product firsthand and learn more about working with Heath. Visit us online at heathceramics.com/tile.

San Francisco

tile-sf@heathceramics.com 2900 18th Street, San Francisco, CA 94110 415 361 5552 x10 or x16

Sausalito

tile-sau@heathceramics.com 400 Gate 5 Road, Sausalito, CA 94965 415 332 3732 x32

Los Angeles

tile-la@heathceramics.com 7525 Beverly Blvd, Los Angeles, CA 90036 323 965 0800

Terms of Sale

Please review quotes carefully, as they become sales contracts upon signing.

A signed contract and deposit are required for an order to be processed. Orders under \$10,000 require payment in full for the order to be processed; orders over \$10,000 require a 50% deposit. Payment is due in full prior to release of the order, including shipping & handling charges. We accept credit cards, first party checks, and payment by wire transfer.

Prices are F.O.B. factory, applicable sales taxes extra.

A storage fee of \$75 a pallet/day may be applied to orders held longer than 15 days.

Cancellation of a signed quote will incur a 15% cancellation fee. Once in production, orders cannot be cancelled.

Shipping and Handling

For orders under 30 sq.ft., small package service will be quoted.

Orders over 25 sq.ft. will be shipped on pallet via Heath's preferred carrier. There is a \$25.00 convenience fee for using other carriers.

Freight fees are passed on at cost, with a \$10.00 pallet charge per pallet used.

We may be able to offer flat rate shipping for orders under 110 sq.ft. Please inquire with a Tile Specialist.

General

Due to the handcrafted nature of our tile, actual size and color variation should be expected.

Price quotes are valid for 30 days. Lead times are re-quoted upon conversion of quote to sales order.

Prices are subject to change without notice.

We recommend ordering up to 15% extra material to cover installation requirements.

Job completions have a minimum order of 4 sq. ft. They are priced at full retail price plus a \$100 order completion fee per line item.

